

Robotics makes a breakthrough in egg packing

Illinois company exhibits technology at open house

By Simon M. Shane

Smart Motion Robotics (SMR) of Sycamore, Ill., hosted a two-day event to demonstrate its range of robotic technology especially developed for shell-egg plants. Established in 2000 by Scott Gilmore, the company has expanded to develop custom robotic applications for the food and pharmaceutical industries for over a decade.

The robots used by SMR are manufactured by FANUC – the leading developer and manufacturer based in Japan. This company has supplied over 200,000 units worldwide, representing 50% of the global market. SMR is authorized by FANUC as a “Designated Authorized Integrator” to develop and install robotic technology in egg plants. All robot installations are backed by the supplier, which operates 10 service centers in the U.S. and undertakes to respond to e-mail and telephone technical service requests within 20 minutes on a 365/7 schedule.

Advantages of robotics

In introducing robotic technology to U.S. egg packers, David Voell, senior vice president, outlined the differences between robots and simple mechanization.

- ✓ Robots have diverse capabilities, strong capacity and speed using servo motors, with some units capable of handling payloads of up to 1 ton at rates of more than 12 cycles per minute.
- ✓ Robots have extreme flexibility and adaptability, as they are programmable and capable of multi-tasking. This is important with handling a variety of packs, cases and pallet configurations.
- ✓ Robots are extremely reliable and generally operate for over 70,000 hours without requiring major overhaul. Routine maintenance is

TABLE 1. ASSUMPTIONS RELATING TO VOLUMES OF PRODUCTION

Flock Size	1.5 Million hens
Daily production @ 76% hen-to-product yield	1.1 million eggs/day 3,200 cases/day
With 30 cases on average/pallet	107 pallets/day
Grader speed, 400 c.p.h. Production duration	8 hours normal operation/day + 1 hour overtime & make-up 365 days/year
Assumed improvement in yield	1%



Smart PACKER™ is designed to transfer a wide range of foam, PET and fiber cartons to current U.S. cases with precision and absence of damage at up to 70 cases per hour.

minimal since the units are built to high specifications and to withstand harsh environments.

- ✓ Robots can be programmed to perform a variety of functions within the reach of the arm. Attaching specialized “end-of-arm tools” it is possible to perform a variety of tasks as new functions are introduced into the plant.



The Smart Motion robotics module verifies bar codes on cases of product on conveyors before presentation to the SmartSTACKER™.

- ✓ Robots can interface with plant networks and control systems and are compatible with bar coding required for traceability, machine vision for quality control and inventory management in the context of U.S. packing plants

One existing user at the open house commented that “once imported into the U.S. and incorporated into a robotic system the unit continues working, complies with immigration requirements, works tirelessly without complaint, does not take tea or lunch breaks and is always there at plant start-up and does not object to working over-time.”

Get more cases per hour from other equipment innovations.

www.WATTAgNet.com/15300.html



SMR SmartTOPPER™ places pre-formed molded fiber or PET tops on flats or over the top tier of eggs in cases.

SMR product range for packing plants

The SMR range of robotics for packing plants was originally developed in response to the need for speed, consistent quality and cost. The current range comprise the SmartPACKER™ a robotic egg-case packer, the SmartTOPPER™ which places covers over the top layer of eggs in cartons and the SmartSTACKER™ which is a robotic egg case palletizer.

SMR SmartPacker™

The robotic SmartPACKER™ is available in two models depending on packing amenities, desired speed and floor space operates at up to 70 cases per hour taking cartons from two adjacent packers. The SmartPacker™ will handle pulp, foam, and PET tri-fold cartons and will transfer to 15, 24 and 30, 24 dozen cardboard and plastic cases as used in the U.S.

The SmartPACKER™ cannot handle wire baskets due to their unevenness associated with transport damage. SmartPACKERS™ have been installed on Diamond 8300, 8400, Innova and Moba Selecta and Omnia packers. The units incorporate open carton rejection and can be supplied with machine vision to detect carton damage or other defects.

SMR SmartTOPPER™

The SmartTOPPER™ is capable of placing tops on flats which will be shrink-wrapped or on the top tier of eggs on flats in a case. The unit can incorporate machine vision and barcode recognition to confirm correspondence between the SKU imprint on cartons and cases.

The SmartTOPPER™ is capable of placing tops on flats which will be shrink-wrapped or on the top tier of eggs on flats in a case. The unit can incorporate machine vision and barcode recognition to confirm correspondence between the SKU imprint on cartons and cases.

SMR SmartSTACKER™

The SmartSTACKER™ can palletize up to four different products simultaneously

SMR SmartSTACKER™ has an end-of-arm lifter with a specially designed vacuum head to handle packed cases with gentleness in a 12-second pre-programmed cycle from conveyor to pallet.

and can operate in an area of approximately 1,000 ft.2, excluding the conveyors and bar code sorting station. SmartSTACKERS™ can be supplied with pallet and slip-sheet dispensers and can be programmed to stack cases in specific patterns for secure transport, especially for DSD applications. As with all SMR robotics, the SmartStacker™ conforms to RAI safety standards. The unit is equipped with a vacuum pump which activates the suction grippers on the end-of-arm tool. This innovation developed by SMR is more efficient and reliable than venturi vacuum lifters. In operation the SMR SmartSTACKER™ is usually supplied with packed cases and pallets using mechanized conveyors which are configured to match the speed of operation.

Installations

Due to the diversity in plant layouts, types of cartons, cases and product flow, Scott C. Gilmore and his design and applications team configure each installation for optimal efficiency. Individual modules or a complete line are assembled and tested using the client's packing material to ensure correct operation before disassembly, crating and shipping. This facilitates assembly and commissioning in the plant, reducing



SMR SmartSTACKER™ selects from among up to four types of packed cases, presented on conveyors to assemble pallets with spacers, operating with precision according to a pre-programmed sequence and configuration of load.

down time and build-up of product awaiting packing during a retrofit. This is an important consideration with in-line plants that operate on a single or double shift on a 365-day basis. The visitors to the SMR open house viewed an installation undergoing pre-shipment testing which included mechanical, electrical and electronic procedures prior to installation in a new plant in Latin America.

Voell also provided information on capital cost and operating characteristics for a complete installation. A number of the participants indicated production costs and crew requirements for their plants operating with and without robotics. This data was used to project operating costs and savings.

Financial projections


Table 1 indicates the production parameters for an in-line plant processing the output of 1.5 million hens. The manager of a plant in Michigan indicated that they had achieved a 2% reduction in breakage following installation of a SmartPACKER™ attributed to more gentle transfer of packs to cases. The improvement in quality was evident in the sharp drop in store returns associated with shell cracks

in eggs at the ends of the pack and the occurrence of leakers. The calculation used in this projection incorporated a 1% improvement in product yield.

Table 2 details the capital and operating costs of a complete SMR

TABLE 2. CAPITAL & OPERATING COSTS OF A ROBOTIC INSTALLATION

Capital Cost	
5 robotic packers @ \$150,000	\$750,000
1 robotic topper @ \$100,000	\$100,000
1 robotic palletizer @ \$500,000	\$500,000
Conveyors, controls & shipping	included
Projected Total	\$1,350,000
Assume Capital Funding of 1/3 equity: 2/3 loan @ 7% p.a.	= \$450,000 / \$900,000
Annual Operating Costs	
Fixed Components:	
Interest on loan @ 7%	\$ 63,000
Annual depreciation @10%	\$135,000
Overhead Provision	\$ 5,000
Subtotal	\$208,000
Variable Components:	
Power	\$ 2,000
Maintenance @ 1.5% value	\$20,000
Subtotal	\$22,000
Annual Operating Cost	\$225,000



Virkon® S

DANGEROUS THREATS NEED POWERFUL SOLUTIONS

Is your disinfectant independently proven to do the job?

DuPont™ Virkon® S is independently proven to be highly effective against over 10 global Salmonella strains, including the most common strains, *S. typhimurium* and *S. enterica*.

Rely on Neogen® – your animal health and safety solutions provider.

Contact Neogen® at 1.800.621.8629 or visit us on the web at www.neogen.com.



Copyright © 2010 DuPont. The DuPont Oval Logo, DuPont™, The miracles of science™, and Virkon® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company or its affiliates. All rights reserved.

TABLE 3. CALCULATION OF SAVINGS ATTRIBUTABLE TO ROBOTIC TECHNOLOGY

	CONVENTIONAL	ROBOTIC
Packers	6	2
Topper	1	0
Palletizer	4	1
Crew	11	3
Cost of Labor:		
Standard time @ \$14/hour	\$1232/day	\$336/day
Overtime @ \$18/hour	\$ 198/day	\$ 54/day
Labor cost/day	\$1,430	\$390/day
Cost/annum	\$521,950	\$142,350
Annual difference attributed to robotic installation	\$379,600	

robotic installation. This would include five robotic packers to serve 10 lanes with manual packing of the remaining production representing 20% of throughput. The plant would require one robotic Smart-TOPPER™ and a single robotic SmartSTACKER™. Required computers, conveyors, shipping and installation would be included in the projected capital cost of \$1,350,000. It is assumed that the capital cost would be funded one-third in the form of equity invested by the plant and two-thirds would be covered by a loan at 7%.

Operating costs were assigned to fixed and variable components. Interest amounted to \$63,000 per year and equipment was depreciated at 10% p.a. amounting to \$135,000 which is not an actual cash out-flow.

Power requirement listed under variable components is relatively low given the efficiency of servo motors and a 480 volt three-phase supply. Maintenance was assumed to be 1.5% of value. The total annual operating cost was projected at \$225,000 for the demonstration installation for a 500 c.p.h. plant which was reviewed at the open house.

Table 3 calculates the benefits attributable to robotic technology arising from the saving in labor. The crew that will be used in a conventional plant would generate an annual cost of \$525,950. Installing robotics would reduce the number of workers involved in packing, topping and stacking from 11 to 3 for a total cost of \$142,350 per year. The annual difference of \$379,600 can be applied to reducing the loan or in the event of outright purchase, providing a payback of approximately three years without discounting the annual benefits over time.

Assuming a 1% improvement in saleable product, the plant would produce an additional 334,705 dozen per year. Accepting a net contribution of 76¢ per dozen, represented by a 90¢ wholesale price less the cost of the pack, the value of an incremental 1% in yield would be \$254,376 per year.

Bottom line

Given the limits to which egg producers can control costs including feed, packaging material and energy, any saving in labor and enhancing efficiency are obvious strategies to remain competitive. Robotic technology offers the potential to improve the bottom line, contribute to greater efficiency and enhance quality and customer satisfaction. It is encouraging to see equipment developed in the U.S. based on our requirements and presented as an integrated solution. **E**

The NEW Staalkat Egg Grader

is worth seeing in Atlanta



"Staalkat will bring the American egg producer not just an alternative to what is available today, but NEW features that will benefit your business tomorrow."

SANOVO 
TECHNOLOGY

Visit STAALKAT at IFE Atlanta January 27-29

Sanovo Technology - Staalkat International - Sanovo Process Solutions - Sanovo Environmental Solutions - Same-Hair - Food Craft

+1.248.662.1030
www.sanovogroup.com

For further information and help contact:
Craig England
cengland@sanovousa.com
+1.248.761.1438

Matt Poole
mpoole@sanovousa.com
+1.804.387.6802